




**Berker R.1 frames**

 Marked items are only suitable for splash-protected IP44 flush-mounted installation when used in conjunction with the corresponding sealing set.


 **Frame**




– for vertical and horizontal mounting

| Design                    | Order no.         | Page |
|---------------------------|-------------------|------|
| polar white glossy, 1gang | <b>1011 21 89</b> | 10   |
| polar white glossy, 2gang | <b>1012 21 89</b> | 2    |
| polar white glossy, 3gang | <b>1013 21 89</b> | 2    |
| polar white glossy, 4gang | <b>1014 21 89</b> | 2    |
| polar white glossy, 5gang | <b>1015 21 89</b> | 2    |

*Suitable for optional Sealings IP44* | **Order no.** | **Page** | 97


 **Frame**




– for vertical and horizontal mounting

| Design              | Order no.         | Page |
|---------------------|-------------------|------|
| black glossy, 1gang | <b>1011 21 45</b> | 10   |
| black glossy, 2gang | <b>1012 21 45</b> | 2    |
| black glossy, 3gang | <b>1013 21 45</b> | 10   |
| black glossy, 4gang | <b>1014 21 45</b> | 2    |
| black glossy, 5gang | <b>1015 21 45</b> | 2    |

*Suitable for optional Sealings IP44* | **Order no.** | **Page** | 97


 **Frame**




– for vertical and horizontal mounting

| Design                       | Order no.         | Page |
|------------------------------|-------------------|------|
| Aluminium/polar white, 1gang | <b>1011 21 74</b> | 10   |
| Aluminium/polar white, 2gang | <b>1012 21 74</b> | 10   |
| Aluminium/polar white, 3gang | <b>1013 21 74</b> | 10   |
| Aluminium/polar white, 4gang | <b>1014 21 74</b> | 2    |
| Aluminium/polar white, 5gang | <b>1015 21 74</b> | 2    |

*Suitable for optional Sealings IP44* | **Order no.** | **Page** | 97

 **Frame**




– for vertical and horizontal mounting

| Design                 | Order no.         | Page |
|------------------------|-------------------|------|
| aluminium/black, 1gang | <b>1011 21 84</b> | 10   |
| aluminium/black, 2gang | <b>1012 21 84</b> | 10   |
| aluminium/black, 3gang | <b>1013 21 84</b> | 10   |
| aluminium/black, 4gang | <b>1014 21 84</b> | 2    |
| aluminium/black, 5gang | <b>1015 21 84</b> | 2    |

*Suitable for optional Sealings IP44* | **Order no.** | **Page** | 97


**Frame**



– for vertical and horizontal mounting

| Design                             | Suitable for optional Sealings IP44 | Order no.         | Page |
|------------------------------------|-------------------------------------|-------------------|------|
|                                    |                                     |                   | 97   |
|                                    |                                     |                   | PU   |
| Stainless steel/polar white, 1gang |                                     | <b>1011 21 14</b> | 10   |
| Stainless steel/polar white, 2gang |                                     | <b>1012 21 14</b> | 10   |
| Stainless steel/polar white, 3gang |                                     | <b>1013 21 14</b> | 10   |
| Stainless steel/polar white, 4gang |                                     | <b>1014 21 14</b> | 2    |
| Stainless steel/polar white, 5gang |                                     | <b>1015 21 14</b> | 2    |


**Frame**



– for vertical and horizontal mounting

| Design                       | Suitable for optional Sealings IP44 | Order no.         | Page |
|------------------------------|-------------------------------------|-------------------|------|
|                              |                                     |                   | 97   |
|                              |                                     |                   | PU   |
| Stainless steel/black, 1gang |                                     | <b>1011 21 04</b> | 10   |
| Stainless steel/black, 2gang |                                     | <b>1012 21 04</b> | 10   |
| Stainless steel/black, 3gang |                                     | <b>1013 21 04</b> | 10   |
| Stainless steel/black, 4gang |                                     | <b>1014 21 04</b> | 2    |
| Stainless steel/black, 5gang |                                     | <b>1015 21 04</b> | 2    |


**Frame**



– for vertical and horizontal mounting

| Design                    | Suitable for optional Sealings IP44 | Order no.         | Page |
|---------------------------|-------------------------------------|-------------------|------|
|                           |                                     |                   | 97   |
|                           |                                     |                   | PU   |
| glass polar white , 1gang |                                     | <b>1011 21 09</b> | 10   |
| glass polar white, 2gang  |                                     | <b>1012 21 09</b> | 5    |
| glass polar white, 3gang  |                                     | <b>1013 21 09</b> | 5    |
| glass polar white, 4gang  |                                     | <b>1014 21 09</b> | 1    |
| glass polar white, 5gang  |                                     | <b>1015 21 09</b> | 1    |

**Frame**




– for vertical and horizontal mounting

| Design             | Suitable for optional Sealings IP44 | Order no.         | Page |
|--------------------|-------------------------------------|-------------------|------|
|                    |                                     |                   | 97   |
|                    |                                     |                   | PU   |
| glass black, 1gang |                                     | <b>1011 21 16</b> | 10   |
| glass black, 2gang |                                     | <b>1012 21 16</b> | 5    |
| glass black, 3gang |                                     | <b>1013 21 16</b> | 5    |
| glass black, 4gang |                                     | <b>1014 21 16</b> | 1    |
| glass black, 5gang |                                     | <b>1015 21 16</b> | 1    |

**Frame**

- Labelling field



Labelling field height arranged for P-touch strips 6 mm.

| Design                               | Order no.         | Page |
|--------------------------------------|-------------------|------|
|                                      |                   | PU   |
| polar white glossy, 1gang            | <b>1011 21 79</b> | 10   |
| polar white glossy, 2gang vertical   | <b>1012 21 69</b> | 2    |
| polar white glossy, 3gang vertical   | <b>1013 21 69</b> | 2    |
| polar white glossy, 2gang horizontal | <b>1012 21 79</b> | 2    |
| polar white glossy, 3gang horizontal | <b>1013 21 79</b> | 2    |



**Frame**

- Labelling field



Labelling field height arranged for P-touch strips 6 mm.

| Design                         | Order no.         | PU |
|--------------------------------|-------------------|----|
| black glossy, 1gang            | <b>1011 21 35</b> | 10 |
| black glossy, 2gang vertical   | <b>1012 21 25</b> | 2  |
| black glossy, 3gang vertical   | <b>1013 21 25</b> | 2  |
| black glossy, 2gang horizontal | <b>1012 21 35</b> | 2  |
| black glossy, 3gang horizontal | <b>1013 21 35</b> | 2  |

**Frames made from special materials**



**Frame**

Not suitable for water-protected, flush-mounted installation IP44.

Caution!  
Installation only possible on a flat surface.  
Tighten screws of the covers only by hand.

The colour of surface material can change when exposed to UV radiation.

Caution!  
Natural product made from open-pored material, which is sensitive to grease and dirt.

- for vertical and horizontal mounting
- natural, untreated surface structure
- natural material that underscores the individual character by means of developed structures and different material thicknesses and colour schemes

| Design  | Order No.         | PU |
|---|-------------------|----|
| anthracite/polar white glossy, natural slate, 1gang | <b>1011 23 89</b> | 1  |
| anthracite/polar white glossy, natural slate, 2gang | <b>1012 23 89</b> | 1  |
| anthracite/polar white glossy, natural slate, 3gang | <b>1013 23 89</b> | 1  |



**Frame**

Not suitable for water-protected, flush-mounted installation IP44.

Caution!  
Installation only possible on a flat surface.  
Tighten screws of the covers only by hand.

The colour of surface material can change when exposed to UV radiation.

Caution!  
Natural product made from open-pored material, which is sensitive to grease and dirt.

- for vertical and horizontal mounting
- natural, untreated surface structure
- natural material that underscores the individual character by means of developed structures and different material thicknesses and colour schemes

| Design  | Order No.         | PU |
|---|-------------------|----|
| anthracite/black glossy, natural slate, 1gang | <b>1011 23 84</b> | 1  |
| anthracite/black glossy, natural slate, 2gang | <b>1012 23 84</b> | 1  |
| anthracite/black glossy, natural slate, 3gang | <b>1013 23 84</b> | 1  |



**Frame**

Not suitable for water-protected, flush-mounted installation IP44.

Caution!  
Installation only possible on a flat surface.  
Tighten screws of the covers only by hand.

The colour of surface material can change when exposed to UV radiation.

Caution!  
Natural product made from open-pored material, which is sensitive to grease and dirt.

- for vertical and horizontal mounting
- smoothly milled surface
- natural material that underscores the individual character by means of different structures and colour schemes

| Design  | Order No.         | PU |
|---|-------------------|----|
| grey/polar white glossy, grounded concrete, 1gang | <b>1011 23 79</b> | 1  |
| grey/polar white glossy, grounded concrete, 2gang | <b>1012 23 79</b> | 1  |
| grey/polar white glossy, grounded concrete, 3gang | <b>1013 23 79</b> | 1  |



**Frame**

Not suitable for water-protected, flush-mounted installation IP44.

Caution!  
Installation only possible on a flat surface.  
Tighten screws of the covers only by hand.

The colour of surface material can change when exposed to UV radiation.

Caution!  
Natural product made from open-pored material, which is sensitive to grease and dirt.

- for vertical and horizontal mounting
- smoothly milled surface
- natural material that underscores the individual character by means of different structures and colour schemes

| Design                                      | Order No.         | PU |
|---|-------------------|----|
| grey/black glossy, grounded concrete, 1gang | <b>1011 23 74</b> | 1  |
| grey/black glossy, grounded concrete, 2gang | <b>1012 23 74</b> | 1  |
| grey/black glossy, grounded concrete, 3gang | <b>1013 23 74</b> | 1  |



**Frame**

Not suitable for water-protected, flush-mounted installation IP44.

The shape of surface materials can change during changes in temperature and humidity and its colour can change when exposed to UV radiation.

Patina typical for real leather can develop over time due to touch and the influence of light.

Caution!  
Natural product made from open-pored material, which is sensitive to grease and dirt.

- for vertical and horizontal mounting
- structured surface
- high quality, durable material that underscores the individual character by means of different structures and colour schemes

| Design  | Order No.         | PU |
|---|-------------------|----|
| brown/polar white glossy, embossed leather, 1gang | <b>1011 23 69</b> | 1  |
| brown/polar white glossy, embossed leather, 2gang | <b>1012 23 69</b> | 1  |
| brown/polar white glossy, embossed leather, 3gang | <b>1013 23 69</b> | 1  |
| brown/polar white glossy, embossed leather, 4gang | <b>1014 23 69</b> | 1  |
| brown/polar white glossy, embossed leather, 5gang | <b>1015 23 69</b> | 1  |



**Frame**

Not suitable for water-protected, flush-mounted installation IP44.

The shape of surface materials can change during changes in temperature and humidity and its colour can change when exposed to UV radiation.

Patina typical for real leather can develop over time due to touch and the influence of light.

Caution!  
Natural product made from open-pored material, which is sensitive to grease and dirt.

- for vertical and horizontal mounting
- structured surface
- high quality, durable material that underscores the individual character by means of different structures and colour schemes

| Design                                      | Order No.         | PU |
|---|-------------------|----|
| brown/black glossy, embossed leather, 1gang | <b>1011 23 64</b> | 1  |
| brown/black glossy, embossed leather, 2gang | <b>1012 23 64</b> | 1  |
| brown/black glossy, embossed leather, 3gang | <b>1013 23 64</b> | 1  |
| brown/black glossy, embossed leather, 4gang | <b>1014 23 64</b> | 1  |
| brown/black glossy, embossed leather, 5gang | <b>1015 23 64</b> | 1  |



**Frame**

Not suitable for water-protected, flush-mounted installation IP44.

The shape of surface materials can change during changes in temperature and humidity and its colour can change when exposed to UV radiation.

- for vertical and horizontal mounting
- stained on bog oak
- natural material that underscores the individual character by means of different grains and colour structures

| Design                                      | Order No.         | PU |
|---|-------------------|----|
| oak/polar white glossy, stained wood, 1gang | <b>1011 23 59</b> | 1  |
| oak/polar white glossy, stained wood, 2gang | <b>1012 23 59</b> | 1  |
| oak/polar white glossy, stained wood, 3gang | <b>1013 23 59</b> | 1  |
| oak/polar white glossy, stained wood, 4gang | <b>1014 23 59</b> | 1  |
| oak/polar white glossy, stained wood, 5gang | <b>1015 23 59</b> | 1  |



**Frame**

Not suitable for water-protected, flush-mounted installation IP44.

The shape of surface materials can change during changes in temperature and humidity and its colour can change when exposed to UV radiation.

- for vertical and horizontal mounting
- stained on bog oak
- natural material that underscores the individual character by means of different grains and colour structures

| Design                                | Order No.         | PU |
|---------------------------------------|-------------------|----|
| oak/black glossy, stained wood, 1gang | <b>1011 23 54</b> | 1  |
| oak/black glossy, stained wood, 2gang | <b>1012 23 54</b> | 1  |
| oak/black glossy, stained wood, 3gang | <b>1013 23 54</b> | 1  |
| oak/black glossy, stained wood, 4gang | <b>1014 23 54</b> | 1  |
| oak/black glossy, stained wood, 5gang | <b>1015 23 54</b> | 1  |



**Frame**

Not suitable for water-protected, flush-mounted installation IP44.

- for vertical and horizontal mounting

| Design   | Order No.         | PU |
|--|-------------------|----|
| red transparent/polar white glossy, acrylic, 1gang | <b>1011 23 49</b> | 1  |
| red transparent/polar white glossy, acrylic, 2gang | <b>1012 23 49</b> | 1  |
| red transparent/polar white glossy, acrylic, 3gang | <b>1013 23 49</b> | 1  |
| red transparent/polar white glossy, acrylic, 4gang | <b>1014 23 49</b> | 1  |
| red transparent/polar white glossy, acrylic, 5gang | <b>1015 23 49</b> | 1  |



**Frame**

Not suitable for water-protected, flush-mounted installation IP44.

- for vertical and horizontal mounting

| Design                                       | Order No.         | PU |
|--|-------------------|----|
| red transparent/black glossy, acrylic, 1gang | <b>1011 23 44</b> | 1  |
| red transparent/black glossy, acrylic, 2gang | <b>1012 23 44</b> | 1  |
| red transparent/black glossy, acrylic, 3gang | <b>1013 23 44</b> | 1  |
| red transparent/black glossy, acrylic, 4gang | <b>1014 23 44</b> | 1  |
| red transparent/black glossy, acrylic, 5gang | <b>1015 23 44</b> | 1  |



**Frame**

Not suitable for water-protected, flush-mounted installation IP44.

- for vertical and horizontal mounting

| Design  | Order No.         | PU |
|---|-------------------|----|
| orange transparent/polar white glossy, acrylic, 1gang | <b>1011 23 39</b> | 1  |
| orange transparent/polar white glossy, acrylic, 2gang | <b>1012 23 39</b> | 1  |
| orange transparent/polar white glossy, acrylic, 3gang | <b>1013 23 39</b> | 1  |
| orange transparent/polar white glossy, acrylic, 4gang | <b>1014 23 39</b> | 1  |
| orange transparent/polar white glossy, acrylic, 5gang | <b>1015 23 39</b> | 1  |



**Frame**

Not suitable for water-protected, flush-mounted installation IP44.

- for vertical and horizontal mounting

| Design  | Order No.         | PU |
|---|-------------------|----|
| orange transparent/black glossy, acrylic, 1gang | <b>1011 23 34</b> | 1  |
| orange transparent/black glossy, acrylic, 2gang | <b>1012 23 34</b> | 1  |
| orange transparent/black glossy, acrylic, 3gang | <b>1013 23 34</b> | 1  |
| orange transparent/black glossy, acrylic, 4gang | <b>1014 23 34</b> | 1  |
| orange transparent/black glossy, acrylic, 5gang | <b>1015 23 34</b> | 1  |

**Berker R.3 frames**

Marked items are only suitable for splash-protected IP44 flush-mounted installation when used in conjunction with the corresponding sealing set.



**Frame**

Design

- polar white glossy, 1gang
- polar white glossy, 2gang
- polar white glossy, 3gang
- polar white glossy, 4gang
- polar white glossy, 5gang

| Suitable for optional Sealings IP44 | Order no.         | Page |
|-------------------------------------|-------------------|------|
|                                     |                   | 97   |
|                                     | Order no.         | PU   |
|                                     | <b>1011 22 89</b> | 10   |
|                                     | <b>1012 22 89</b> | 2    |
|                                     | <b>1013 22 89</b> | 2    |
|                                     | <b>1014 22 89</b> | 2    |
|                                     | <b>1015 22 89</b> | 2    |




**Frame**

- for vertical and horizontal mounting

Design

- black glossy, 1gang
- black glossy, 2gang
- black glossy, 3gang
- black glossy, 4gang
- black glossy, 5gang

| Suitable for optional Sealings IP44 | Order no.         | Page |
|-------------------------------------|-------------------|------|
|                                     |                   | 97   |
|                                     | Order no.         | PU   |
|                                     | <b>1011 22 45</b> | 10   |
|                                     | <b>1012 22 45</b> | 2    |
|                                     | <b>1013 22 45</b> | 10   |
|                                     | <b>1014 22 45</b> | 2    |
|                                     | <b>1015 22 45</b> | 2    |




**Frame**


- for vertical and horizontal mounting


Design


- Aluminium/polar white , 1gang
- Aluminium/polar white, 2gang
- Aluminium/polar white, 3gang
- Aluminium/polar white, 4gang
- Aluminium/polar white, 5gang


| Suitable for optional Sealings IP44 | Order no.         | Page |
|-------------------------------------|-------------------|------|
|                                     |                   | 97   |
|                                     | Order no.         | PU   |
|                                     | <b>1011 22 74</b> | 10   |
|                                     | <b>1012 22 74</b> | 10   |
|                                     | <b>1013 22 74</b> | 10   |
|                                     | <b>1014 22 74</b> | 2    |
|                                     | <b>1015 22 74</b> | 2    |

|   |                        |  |                  |             |
|---|------------------------|--|------------------|-------------|
|  | <b>Frame</b>           | – for vertical and horizontal mounting     |                  |             |
|   |                        | <b>Suitable for optional Sealings IP44</b> | <b>Order no.</b> | <b>Page</b> |
|   | Design                 | Order no.                                  |                  | PU          |
|   | aluminium/black, 1gang | <b>1011 22 84</b>                          |                  | 10          |
|   | aluminium/black, 2gang | <b>1012 22 84</b>                          |                  | 10          |
|   | aluminium/black, 3gang | <b>1013 22 84</b>                          |                  | 10          |
|   | aluminium/black, 4gang | <b>1014 22 84</b>                          |                  | 2           |
| aluminium/black, 5gang  | <b>1015 22 84</b>      |  | 2                |             |

|   |                                    |  |                  |             |
|---|------------------------------------|--|------------------|-------------|
|  | <b>Frame</b>                       | – for vertical and horizontal mounting     |                  |             |
|   |                                    | <b>Suitable for optional Sealings IP44</b> | <b>Order no.</b> | <b>Page</b> |
|   | Design                             | Order no.                                  |                  | PU          |
|   | Stainless steel/polar white, 1gang | <b>1011 22 14</b>                          |                  | 10          |
|   | Stainless steel/polar white, 2gang | <b>1012 22 14</b>                          |                  | 10          |
|   | Stainless steel/polar white, 3gang | <b>1013 22 14</b>                          |                  | 10          |
|   | Stainless steel/polar white, 4gang | <b>1014 22 14</b>                          |                  | 2           |
| Stainless steel/polar white, 5gang  | <b>1015 22 14</b>                  |  | 2                |             |

|  |                              |  |                  |             |
|--|------------------------------|--|------------------|-------------|
|  | <b>Frame</b>                 | – for vertical and horizontal mounting     |                  |             |
|  |                              | <b>Suitable for optional Sealings IP44</b> | <b>Order no.</b> | <b>Page</b> |
|  | Design                       | Order no.                                  |                  | PU          |
|  | Stainless steel/black, 1gang | <b>1011 22 04</b>                          |                  | 10          |
|  | Stainless steel/black, 2gang | <b>1012 22 04</b>                          |                  | 10          |
|  | Stainless steel/black, 3gang | <b>1013 22 04</b>                          |                  | 10          |
|  | Stainless steel/black, 4gang | <b>1014 22 04</b>                          |                  | 2           |
| Stainless steel/black, 5gang   | <b>1015 22 04</b>            |  | 2                |             |

|   |                          |  |                  |             |
|---|--------------------------|--|------------------|-------------|
|  | <b>Frame</b>             | – for vertical and horizontal mounting     |                  |             |
|   |                          | <b>Suitable for optional Sealings IP44</b> | <b>Order no.</b> | <b>Page</b> |
|   | Design                   | Order no.                                  |                  | PU          |
|   | glass polar white, 1gang | <b>1011 22 09</b>                          |                  | 10          |
|   | glass polar white, 2gang | <b>1012 22 09</b>                          |                  | 5           |
|   | glass polar white, 3gang | <b>1013 22 09</b>                          |                  | 5           |
|   | glass polar white, 4gang | <b>1014 22 09</b>                          |                  | 1           |
| glass polar white, 5gang  | <b>1015 22 09</b>        |  | 1                |             |

|   |                    |  |                  |             |
|---|--------------------|--|------------------|-------------|
|  | <b>Frame</b>       | – for vertical and horizontal mounting     |                  |             |
|   |                    | <b>Suitable for optional Sealings IP44</b> | <b>Order no.</b> | <b>Page</b> |
|   | Design             | Order no.                                  |                  | PU          |
|   | glass black, 1gang | <b>1011 22 16</b>                          |                  | 10          |
|   | glass black, 2gang | <b>1012 22 16</b>                          |                  | 5           |
|   | glass black, 3gang | <b>1013 22 16</b>                          |                  | 5           |
|   | glass black, 4gang | <b>1014 22 16</b>                          |                  | 1           |
| glass black, 5gang  | <b>1015 22 16</b>  |  | 1                |             |



**Frame**

- Labelling field



Labelling field height arranged for P-touch strips 6 mm.

| Design                               | Order no.         | PU |
|--------------------------------------|-------------------|----|
| polar white glossy, 1gang            | <b>1011 22 79</b> | 10 |
| polar white glossy, 2gang vertical   | <b>1012 22 69</b> | 2  |
| polar white glossy, 3gang vertical   | <b>1013 22 69</b> | 2  |
| polar white glossy, 2gang horizontal | <b>1012 22 79</b> | 2  |
| polar white glossy, 3gang horizontal | <b>1013 22 79</b> | 2  |



**Frame**

- Labelling field



Labelling field height arranged for P-touch strips 6 mm.

| Design                         | Order no.         | PU |
|--------------------------------|-------------------|----|
| black glossy, 1gang            | <b>1011 22 35</b> | 10 |
| black glossy, 2gang vertical   | <b>1012 22 25</b> | 2  |
| black glossy, 3gang vertical   | <b>1013 22 25</b> | 2  |
| black glossy, 2gang horizontal | <b>1012 22 35</b> | 2  |
| black glossy, 3gang horizontal | <b>1013 22 35</b> | 2  |

**Sealings IP44**



**Sealing set for switches/push-buttons**

- also for KNX applications: push-button, 1gang, and group push-button, 1gang
- with IP44 fixing piece to screw on

| Suitable for                                   | Order no. | Page |
|--|-----------|------|
| Covers for rocker switches/rocker push-buttons |           | 61   |
| Frames   |           | 83   |

| Design                         | Order no.         | PU |
|--------------------------------|-------------------|----|
| <b>Berker Q.1/Q.3, K.1/K.5</b> |                   |    |
| transparent                    | <b>1010 71 00</b> | 1  |



**Sealing set for switches/push-buttons**

- also for KNX applications: push-button, 1gang, and group push-button, 1gang
- with IP44 fixing piece to screw on

| Suitable for                                   | Order no. | Page |
|--|-----------|------|
| Covers for rocker switches/rocker push-buttons |           | 61   |
| Frames   |           | 90   |

| Design                | Order no.         | PU |
|-----------------------|-------------------|----|
| <b>Berker R.1/R.3</b> |                   |    |
| transparent           | <b>1010 77 00</b> | 1  |